



SEALING

VIBRATION CONTROL

CABIN AIR FILTER

Flexible prop shaft coupling + bolts kit
SIMPLE AND SAFE



INNOVATIVE PROP SHAFT COUPLING – ALTERNATIVE TO HARDY JOINT.


The innovative, flexible prop shaft coupling is a highly economical alternative to the Hardy joint. In terms of price-performance ratio flexible prop shaft coupling offers outstanding benefits. The special feature of the flexible prop shaft coupling is a second rubber track. The functions of damping and angular alignment are decoupled in a single component. This makes the flexible prop shaft coupling more finely scaled to vibration requirements than the traditional Hardy joint.



Corteco is supplying this elastic constant-velocity joint for the BMW 1, 3, 5, 6, 7, X1 and Z4 series - article no. 80001807. Flexible prop shaft coupling with mounting screws and nuts included - article no. 80004401

CORTECO flexible prop shaft coupling + bolts Kit:

- All necessary bolts and washers plus pulley in one kit
- Easy identification in TecDoc via OE number of the pulley or vehicle application
- Optimized package protects the parts from transport damage
- Time-saving through easy sourcing
- Simple assembly and increased safety
- Compliance with OE requirements



CORTECO GmbH

Badener Straße 4
69493 Hirschberg
Germany
Tel. +49 6201 25964-0
Fax +49 6201 25964-11

CORTECO S.r.l.u.

Corso Torino 420/D
10064 Pinerolo (TO)
Italy
Tel. +39 0121 369269
Fax +39 0121 369299

CORTECO S.A.S.

Z.A. La Couture
87140 Nantiat
France
Tel. +33 5 55536800
Fax +33 5 55536888

www.corteco.com

CORTECO Ltd.

Unit 6, Wycliffe Industrial
Park
Lutterworth
Leicestershire
LE17 4HG
United Kingdom
Tel. +44 1455 550000
Fax +44 1455 550066

19036670 SIG-08/2012